


LOAD DIAGRAM

Lastkurven · Courbes de charges · Curvas de cargas · Diagramma di portata ·
Diagrama de carga · Диаграмма грузоподъёмности





TEREX®

Load Diagram · Lastkurven · Courbes de charges · Curvas de cargas · Diagramma di portata · Diagrama de carga · Схема нагрузок

				6 m	9 m	12 m	15 m	16,5 m	18 m	21,5 m	24 m	26,5 m	30,3 m
	8 t ➡	16,88 m	t	8,00	8,00	8,00	8,00	8,00	7,33	5,69	4,80	4,08	3,20
	12 t ➡	12,25 m	t	12,00	12,00	12,00	9,33	8,24	7,33	5,69	4,80	4,08	3,20
	16 t ➡	9,56 m	t	16,00	16,00	12,29	9,33	8,24	7,33	5,69	4,80	4,08	3,20
	8 t ➡	16,67 m	t	8,00	8,00	8,00	8,00	8,00	7,21	5,60	4,73	4,00	
	12 t ➡	12,07 m	t	12,00	12,00	12,00	9,18	8,11	7,21	5,60	4,73	4,00	
	16 t ➡	9,42 m	t	16,00	16,00	12,08	9,18	8,11	7,21	5,60	4,73	4,00	
	8 t ➡	16,27 m	t	8,00	8,00	8,00	8,00	7,85	6,99	5,40			
	12 t ➡	11,74 m	t	12,00	12,00	11,69	8,88	7,85	6,99	5,40			
	16 t ➡	9,14 m	t	16,00	16,00	11,69	8,88	7,85	6,99	5,40			
	8 t ➡	15,78 m	t	8,00	8,00	8,00	8,00	7,50					
	12 t ➡	11,33 m	t	12,00	12,00	11,21	8,53	7,50					
	16 t ➡	8,79 m	t	16,00	15,58	11,21	8,53	7,50					

Jib Configurations · Auslegerkonfigurationen · Configurations de la flèche · Configuraciones de pluma · Configurazioni braccio · Configurações da Lança · Конфигурация стрелы



MECHANISMS

Antriebe · Mécanismes · Mecanismos · Meccanismi · Mecanismo · Механизм

Power supply · Stromversorgung · Alimentation · Suministro eléctrico · Alimentazione · Requisitos de energia · Требования по питанию

				
	35 AFC 80	87 kVA*	400V - 50Hz / 460V - 60 Hz	2000/14/CE modificata

* Average consumption · Durchschnittsverbrauch · Consommation moyenne · Consumo medio · Consumo medio · Consumo médio · Среднее потребление

Hoisting · Heben · Levage · Elevación · Sollevamento · Elevação · Подъем

			t	m/min	kW	
	35 AFC 80		8	0 → 23	37	850 m
			6	0 → 28		
			2	0 → 59		
			12	0 → 14		
			9	0 → 18		
			3	0 → 39		
			16	0 → 12		
			12	0 → 14		
			4	0 → 29		

Additional Specifications · Weitere Leistungsdaten · Spécifications additionnelles · Otras prestaciones · Altre movimentazioni · Especificações adicionais · Дополнительные спецификации

	LHY 140	2,5 min	30 kW
	SFC 1-65	0 → 0,75 r.p.m.	1 x 10 kW